



1. I	Product and Company Identificatio	n	
Product Name	Super Sani-Cloth® Germicidal Disposable Wipes	MSDS0019B	
CAS # Product use Manufacturer	Mixture Disinfectant Cleaner Professional Disposables International, Inc. Two Nice-Pak Park Orangeburg, NY 10962-1376 or Distributed by: Professional Disposables International Ltd, Ontario CA Phone (USA) 1-845-365-1700 (M-F 8am - 5pm) Phone (CANADA) 1-800-263-7067	EVIDENT, INC. 1-800-576-7606 www.EvidentCrimeScene.com contact@evident.cc	
LEGEND HMIS/NFPASevere4Serious3Moderate2Slight1Minimal0	Health     /     3       Flammability     3       Physical Hazard     0       Personal Protection     A	0	
	2. Hazards Identification		
Emergency overview	DANGER COMBUSTIBLE Causes irreversible eye damage. Harmful if absorbed through skin. Do not get in eyes, on skin or on clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse.		
Potential short term health effects	J.		
Routes of exposure	Eye, Skin contact, Inhalation, Ingestion.		
Eyes	The product produced eye irritation clearing in 7 days	or less.	
Skin	Under the conditions of the study, no dermal irritation	was evident at 72 hours.	
Inhalation	Not a normal route of exposure. Excessive intentional inhalation may cause respiratory tract irritation and central nervous system effects (headache, dizziness).		
Ingestion	Not a normal route of exposure. May cause stomach of	distress, nausea or vomiting.	
Target organs	Eyes. Respiratory system. Skin.		
Chronic effects	Prolonged or repeated exposure can cause drying, def	atting and dermatitis.	
Signs and symptoms	Symptoms may include redness, edema, drying, defatting and cracking of the skin. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.		

## 3. Composition / Information on Ingredients

Ingredient(s)	CAS #	Percent
Isopropanol	67-63-0	30 - 60
Benzyl-C12-18-alkyldimethyl ammonium chlorides	68391-01-5	0.25
Quaternary ammonium compounds, C12-18-alkyl [(ethylphenyl) methyl] dimethyl, chlorides	68956-79-6	0.25

#### 4. First Aid Measures

#### First aid procedures

Eye contact

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Skin contact	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Inhalation	Not a normal route of exposure. If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.
Ingestion	Not a normal route of exposure. Do not induce vomiting. Never give anything by mouth if victim is unconscious, or is convulsing. Obtain medical attention.
Notes to physician	Symptoms may be delayed.
General advice	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

# 5. Fire Fighting Measures

Flammable properties	Flammable per ICAO Test Method 1.1.2.1
Extinguishing media	
Suitable extinguishing media	Carbon dioxide. Alcohol foam. Dry chemical.
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire.
Protection of firefighters	
Specific hazards arising from the chemical	Not available
Protective equipment for firefighters	Firefighters should wear full protective clothing including self contained breathing apparatus.
Hazardous combustion products	May include and are not limited to: Oxides of carbon.
Explosion data	
Sensitivity to mechanical impact	Not available
Sensitivity to static discharge	Not available
	6. Accidental Release Measures
Demond processions	Keen uppeeded in personnel away. Do not taugh ar well' through apilled material. Do

7. Handling and Storage		
Other information	Pick up and discard towel.	
Methods for cleaning up	Remove sources of ignition. Before attempting clean up, refer to hazard data given above. Use broom or dry vacuum to collect material for proper disposal without raising dust. Rinse area with water. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice.	
Methods for containment	Prevent entry into waterways, sewers, basements or confined areas.	
Personal precautions	Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak.	

 Handling
 Use good industrial hygiene practices in handling this material.

 Storage
 Keep out of reach of children. Store in a closed container away from incompatible materials. Store in a closed container away from incompatible materials.

#### 8. Exposure Controls / Personal Protection

Exposure limits			
Ingredient(s)		Exposure Limits	
Benzyl-C12-18-alkyldimethyl ammonium chlorides		ACGIH-TLV	
		Not established	
		OSHA-PEL	
		Not established	
Isopropanol		ACGIH-TLV	
		TWA: 200 ppm	
		STEL: 400 ppm	
		OSHA-PEL	
		TWA: 400 ppm	
Quaternary ammonium compounds,	•	ACGIH-TLV	
[(ethylphenyl) methyl] dimethyl, chlor	des	Not established	
		OSHA-PEL	
		Not established	
Engineering controls	General ventilati	ion normally adequate.	
Personal protective equipment			
Eye / face protection	Wear safety gla	sses with side shields.	
Hand protection	Rubber gloves. Confirm with a reputable supplier first.		
Skin and body protection	As required by employer code.		
Respiratory protection	Where exposure	Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.	
General hygiene consideration	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. Wash hands before breaks and immediately after handling the product.		

#### 9. Physical and Chemical Properties

Appearance	Clear. Liquid saturated on wipe
Color	Colorless liquid
Form	Pre-moistened towelette.
Odor	Alcohol
Odor threshold	Not available
Physical state	Solid
рН	6.25 - 8.5 (Liquid)
Freezing point	Not available
Pour point	Not available
Boiling point	Not available
Flash point	23.88 °C (75 °F) (Towel) (ASTM D56) Tag Closed Cup
Evaporation rate	Not available
Flammability limits in air, lower, % by volume	Not available
Flammability limits in air, upper, % by volume	Not applicable
Vapor pressure	Not available
Vapor density	Not available
Specific gravity	0.892 (Liquid)
Octanol/water coefficient	Not available
Solubility (H2O)	Wipe is not soluble
Auto-ignition temperature	Not available
VOC (Weight %)	> 50 %

#### 10. Stability and Reactivity

Chemical stability	Stable under recommended storage conditions.
Conditions to avoid	Avoid high temperatures. Do not mix with other chemicals.
Incompatible materials	Oxidizers. Anionic surfactants.
Hazardous decomposition products	May include and are not limited to: Oxides of carbon.
Possibility of hazardous reactions	Hazardous polymerization does not occur.

## 11. Toxicological Information

Acute effects		i0: 5000 mg/kg, Rat, Oral 50: 2000 mg/kg, Rat, Dermal
Component analysis - LC50		
Ingredient(s)		LC50
Benzyl-C12-18-alkyldimethyl amr	nonium chlorides	s Not available
Isopropanol		16970 mg/l/4h rat
Quaternary ammonium compounds, C12-18-alkyl [(ethylphenyl) methyl] dimethyl, chlorides		Not available
Component analysis - Oral LD5	0	
Ingredient(s)		LD50
Benzyl-C12-18-alkyldimethyl amr	nonium chlorides	s 240 mg/kg rat
Isopropanol		4396 mg/kg rat
Quaternary ammonium compoun [(ethylphenyl) methyl] dimethyl, c		250 mg/kg rat
Effects of acute exposure		
Eye	The produ	ct produced eye irritation clearing in 7 days or less.
Skin	Under the	conditions of the study, no dermal irritation was evident at 72 hours.
Inhalation	Not a normal route of exposure. Excessive intentional inhalation may cause respiratory tract irritation and central nervous system effects (headache, dizziness).	
Ingestion	Not a norr	nal route of exposure. May cause stomach distress, nausea or vomiting.
Sensitization	Non-hazardous by OSHA criteria.	
Chronic effects	Non-hazaı	rdous by OSHA criteria.
Carcinogenicity	Non-hazaı	rdous by OSHA criteria.
ACGIH - Threshold Limit Values	s - Carcinogens	
Isopropanol IARC - Group 3 (Not Classifiabl	67-63-0 <b>e)</b>	A4 - Not Classifiable as a Human Carcinogen
Isopropanol	67-63-0	Monograph 71 [1999], Supplement 7 [1987], Monograph 15 [1977]
Mutagenicity	Non-hazai	rdous by OSHA criteria.
Reproductive effects	Non-hazaı	rdous by OSHA criteria.
Teratogenicity	Non-hazaı	rdous by OSHA criteria.

## 12. Ecological Information

Ecotoxicity	Compor concern	ents of this product have been identified as having potential environmental s.
Ecotoxicity - Freshwater Alga	e Data	
Isopropanol	67-63-0	96 Hr EC50 Scenedesmus subspicatus: >1000 mg/L; 72 Hr EC50 Scenedesmus subspicatus: >1000 mg/L
Ecotoxicity - Freshwater Fish	Species Data	
Isopropanol	67-63-0	96 Hr LC50 Pimephales promelas: 9640 mg/L [flow-through]; 96 Hr LC50 Pimephales promelas:11130 mg/L [static]; 96 Hr LC50 Lepomis macrochirus:>1400000 μg/L
Ecotoxicity - Microtox Data		
Isopropanol	67-63-0	5 Min EC50 Photobacterium phosphoreum: 35390 mg/L
Ecotoxicity - Water Flea Data		
Isopropanol	67-63-0	48 Hr EC50 Daphnia magna: 13299 mg/L
Environmental effects	Not avai	lable

Aquatic toxicity	Not available
Persistence / degradability	Not available
Bioaccumulation / accumulation	Not available
Partition coefficient	Not available
Mobility in environmental media	Not available
Chemical fate information	Not available

13. Disposal Considerations		
Waste codes	Not available	
Disposal instructions	This material, as supplied and used, is a hazardous waste according to Federal regulations (40 CFR 261). Consult the appropriate state, regional, or local regulations for additional requirements. Discard after single use.	
Waste from residues / unused products	Not available	
Contaminated packaging	Not available	

#### 14. Transport Information

#### U.S. Department of Transportation (DOT)

CONSUMER COMMODITY ORM-D - Exception H sized packets are not regulated by DOT per small quantity exemption.

15. Regulatory Information				
US Federal regulations	EPA registration number 9480-4 This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.			
	CERCLA/SARA Hazardous Substances - Not applicable.			
U.S CERCLA/SARA - Section 313 - I	Emission Reporting			
Isopropanol 67-0	63-0 1.0 % de minimis concentration (only if manufactured by the strong acid process, no supplier notification)			
Occupational Safety and Health Adm	ninistration (OSHA)			
29 CFR 1910.1200 hazardous chemical	Yes			
CERCLA (Superfund) reportable qua	antity			
None				
Superfund Amendments and Reauth	norization Act of 1986 (SARA)			
Hazard categories	Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No			
Section 302 extremely hazardous substance	No			
Section 311 hazardous chemical	I Yes			
Clean Air Act (CAA)	Not available			
Clean Water Act (CWA)	Not available			

State regulations		duct does not contain a chemical known to t birth defects or other reproductive harm.	he State of California to cause		
U.S California - 8 CCR Sec	,	List of Hazardous Substances			
Isopropanol U.S Massachusetts - Righ	67-63-0 <b>t To Know List</b>	Present			
Isopropanol U.S Minnesota - Hazardou	67-63-0 s Substance List	Present			
Isopropanol U.S New Jersey - Right to	Isopropanol 67-63-0 Present U.S New Jersey - Right to Know Hazardous Substance List				
Isopropanol U.S Pennsylvania - RTK (I	67-63-0 Right to Know) List	sn 1076			
Isopropanol U.S Rhode Island - Hazard	67-63-0 Ious Substance List	Environmental hazard			
Isopropanol	67-63-0	Toxic; Flammable			
Inventory status					
Country(s) or region	Invento	ry name	On inventory (yes/no)*		
United States & Puerto R	United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes				
A "Yes" indicates that all comp	oonents of this produc	t comply with the inventory requirements administere	d by the governing country(s)		
		16. Other Information			
		Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.			
Disclaimer	and relia hazards product have be regulato be liable	able. While every effort has been made to er , in some cases data is not available and is use are beyond control of the supplier, it is a en fully trained according to the requirement ry instruments. No warranty, expressed or ir of or any losses, injuries or consequential da	sure full disclosure of product so stated. Since conditions of actual assumed that users of this material s of all applicable legislation and nplied, is made and supplier will not mages which may result from the		
Disclaimer Recommended use	and relia hazards product have be regulato be liable use of o	able. While every effort has been made to er , in some cases data is not available and is use are beyond control of the supplier, it is a en fully trained according to the requirement ry instruments. No warranty, expressed or ir of or any losses, injuries or consequential da	sure full disclosure of product so stated. Since conditions of actual assumed that users of this material s of all applicable legislation and nplied, is made and supplier will not mages which may result from the		
	and relia hazards product have be regulato be liable use of o For exte Caution:	able. While every effort has been made to er , in some cases data is not available and is use are beyond control of the supplier, it is a en fully trained according to the requirement ry instruments. No warranty, expressed or ir e for any losses, injuries or consequential da r reliance on any information contained in th	sure full disclosure of product so stated. Since conditions of actual assumed that users of this material s of all applicable legislation and nplied, is made and supplier will not mages which may result from the is document.		
Recommended use	and relia hazards product have be regulato be liable use of o For exte Caution:	able. While every effort has been made to er , in some cases data is not available and is use are beyond control of the supplier, it is a en fully trained according to the requirements ry instruments. No warranty, expressed or ir e for any losses, injuries or consequential da r reliance on any information contained in th rnal use only. Keep out of reach of children. Not for use o faces only.	sure full disclosure of product so stated. Since conditions of actual assumed that users of this material s of all applicable legislation and nplied, is made and supplier will not mages which may result from the is document.		

Dell Tech Laboratories Ltd. (519) 858-5021

page of the document.

For an updated MSDS, please contact the supplier/manufacturer listed on the first

Prepared by

Other information